

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

Claims 1-24. (canceled).

25. (currently amended): A camera including a solution supply port for a fuel electrode of a fuel cell and a solution discharge port for an air electrode of the fuel cell, the camera comprising,

a fuel cell; and

a fuel cell system, including

a fuel storing section for storing fuel for generating power by the fuel cell, formed with a flexible sheet member, which at least a part thereof is deformable,

a fuel supply port, which is provided at the fuel storing section, and is detachably connected to the solution supply port of the fuel electrode of the fuel cell, and

a secondary cell which stores power generated by the fuel cell,

wherein the fuel cell system is disposed at a side of a lens of the camera, and the secondary cell is disposed adjacent to the fuel cell.

26. (currently amended): A portable telephone including a solution supply port for a fuel electrode of a fuel cell and a solution discharge port for an air electrode of the fuel cell, the portable telephone comprising:

a fuel cell; and

a fuel cell system, including

a fuel storing section for storing fuel for generating power by the fuel cell, formed with a flexible sheet member, which at least a part thereof is deformable,

a fuel supply port, which is provided at the fuel storing section, and is detachably connected to the solution supply port of the fuel electrode of the fuel cell, and

a secondary cell which stores power generated by the fuel cell,

wherein the fuel cell system is disposed at a portion of the portable telephone that includes ~~at the keyboard,~~ and the secondary cell is disposed adjacent to the fuel cell.

27. (previously presented): The portable telephone of claim 26, further comprising a camera.

28. (currently amended): A portable terminal including a solution supply port for a fuel electrode of a fuel cell and a solution discharge port for an air electrode of the fuel cell, the portable terminal comprising:

a fuel cell; and

a fuel cell system, including,

a fuel storing section for storing fuel for generating power by the fuel cell,

formed with a flexible sheet member, which at least a part thereof is deformable,

a fuel supply port, which is provided at the fuel storing section, and is detachably connected to the solution supply port of the fuel electrode of the fuel cell, and

a secondary cell which stores power generated by the fuel cell, wherein the secondary cell is disposed adjacent to the fuel cell.

Claims 29-50 (canceled).

51. (currently amended): A fuel cell system for an electronic device, comprising:

a fuel cell;

a fuel storing section for storing fuel for generating power by the fuel cell, formed with a flexible sheet member, which at least a portion thereof is deformable;

a fuel supply port, which is provided at the fuel storing section, and is detachably connected to a solution supply port of a fuel electrode of the fuel cell; and

a secondary cell which stores power generated by the fuel cell, wherein the secondary cell is disposed adjacent to the fuel cell.

52. (previously presented): The fuel cell system of claim 51, further comprising:

a discharged-solution storing section for storing solution discharged from the fuel cell;

and

a discharged-solution recovery port which is provided at the discharged-solution storing section, and is detachably connected to a solution discharge port of an air electrode of the fuel cell,

wherein the flexible sheet member separates and seals the fuel storing section and the discharged-solution storing section from each other.

53. (previously presented): The fuel cell system of claim 52, wherein an antifreezing agent is provided at the discharged-solution storing section.

54. (previously presented): The fuel cell system of claim 53, wherein the antifreezing agent is placed in the discharged-solution storing section.

55. (previously presented): The fuel cell system of claim 52, wherein a desiccant is placed in the discharged-solution storing section.

56. (previously presented): The fuel cell system of claim 55, further comprising a discharged-solution bag in which the desiccant is placed, wherein the discharged-solution storing section is formed by detachably attaching an opening portion of the discharged-solution bag to the discharged-solution recovery port.

57. (previously presented): The fuel cell system of claim 52, wherein the sheet member comprises an alcohol resistant material.

58. (previously presented): The fuel cell system of claim 52, wherein the fuel storing section is formed from a bag body, and a flexible casing is provided, which comprises the fuel supply port and the discharged-solution recovery port, houses the bag body, and forms the discharged-solution storing section placed on the outside of the bag.

59. (previously presented): The fuel cell system of claim 58, wherein where the electronic device further comprises a heating mechanism, which heats at least one of the discharged-solution storing section and/or the discharged solution stored in the casing, and the casing is adapted to be arranged in a position in the electronic device such that at least one of the discharged-solution storing section and/or the casing is heated.